Letters

RESEARCH LETTER

Emergency Department Admissions for Child Sexual Abuse in the United States from 2010 to 2016

For children who have been sexually abused, emergency department (ED) professionals provide immediate medical care, including testing and treatment for sexually transmitted infections, prophylaxis for potential HIV exposure, and emergency contraception.[1] In some cases, ED clinicians conduct forensic examinations to assist with child protection and criminal investigations.[2] Physicians and nurses in EDs are among the first to recognize the signs of sexual abuse and identify patients who are currently being abused, such as children being exploited in sex trafficking.[3] Despite the medical, criminal justice, and protective roles that ED professionals serve in caring for vulnerable children, few data are available regarding the frequency with which children are admitted to the ED for sexual abuse. Therefore, this analysis observed patterns among children admitted to the ED for sexual abuse across the United States and examined important subgroup characteristics based on demographic and primary payer data.

Methods | Data from Nationwide Emergency Department Sample of the Healthcare Cost and Utilization Project[4] between January 1, 2010, and December 31, 2016, were used for the analysis. The Nationwide Emergency Department Sample is based on a 20% stratified sample of hospital-based EDs and is the largest publicly available all-payer database of ED visits. This study's sample represented 78.2% of all ED admissions in the United States and was weighted to calculate national estimates. Data were analyzed from March 1 to March 31, 2019. The Healthcare Cost and Utilization Project comprises a deidentified limited data set that adheres to the privacy guidelines of the Health Insurance Portability and Accountability Act of 1996. In addition, a data use agreement was in place between the authors and the Agency for Healthcare Research and Quality, which manages the Nationwide Emergency Department Sample. Therefore, study approval from an institutional review board was not required.

We conducted the analysis in multiple steps. First, we created a dichotomous sexual abuse variable based on diagnosis codes from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)* and *International Statistical Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)*; values of 995.53 were assigned to codes from the *ICD-9-CM* and values of T74.22XA were assigned from the *ICD-10-CM*. Next, we calculated the number of all ED admissions for child sexual abuse by year. We then used national population data from the US Census Bureau to calculate the rates of sexual abuse per 100 000 children younger than 18 years. We also examined the frequency of all children admitted to the ED each year by sex, age, and primary payer. This last step enabled us to observe patterns among key subgroups of the sample.

Results | A total of 190 444 745 children were admitted to EDs in the United States between 2010 and 2016. Of those, 46 993 children were admitted for confirmed sexual abuse; 85.14% were girls, 44.75% were adolescents (aged 12-17 years), and 55.91% of the primary payers were insured by Medicaid or Medicare (**Table**). The number of ED admissions for child sexual abuse increased from 5138 in 2010 to 8818 in 2016. These data

Table. Characteristics of Children Admitted to US Emergency Departments for Confirmed Sexual Abuse, 2010 to 2016

	2010		2011		2012		2013		2014		2015		2016	
Characteristic	No. (%)	95% CI	No. (%)	95% CI	No. (%)	95% CI	No. (%)	95% CI	No. (%)	95% CI	No. (%)	95% CI	No. (%)	95% CI
Total children, No.	5138	3669-6607	4856	3777-5935	6182	4621-7743	6069	4210-7927	8036	5406-10666	7894	6079-7909	8818	5820-11816
Sex														
Male	771 (15.00)	12.48-17.11	740 (15.23)	13.12-17.62	1003 (16.22)	14.18-18.50	970 (15.99)	14.00-18.21	1221 (15.20)	13.76-16.76	1006 (12.75)	11.18-14.50	1271 (14.41)	12.76-16.23
Female	4367 (85.00)	82.89-87.52	4116 (84.77)	82.38-86.88	5179 (83.78)	81.50-85.82	5099 (84.01)	81.79-86.00	6815 (84.80)	83.24-86.24	6888 (87.25)	85.50-88.17	7547 (85.59)	83.77-87.24
Age, y														
<2	166 (3.23)	2.23-4.64	109 (2.24)	1.35-3.68	162 (2.62)	1.91-3.59	127 (2.09)	1.28-3.39	178 (2.22)	1.56-3.15	141 (1.79)	1.22-2.63	106 (1.20)	0.73-1.96
2-5	1534 (29.86)	26.42-33.55	1762 (36.28)	32.49-40.24	1935 (31.30)	28.18-34.59	2127 (35.05)	30.93-39.40	2502 (31.14)	27.62-34.90	2077 (26.31)	22.96-29.95	1700 (19.28)	17.09-21.67
6-11	1158 (22.54)	20.03-25.26	1128 (23.23)	20.53-26.16	1674 (27.08)	24.77-29.52	1622 (26.72)	24.19-29.42	1986 (24.72)	22.83-26.72	1815 (22.99)	20.72-25.44	1954 (22.16)	19.99-24.50
12-17	2280 (44.37)	40.14-48.68	1858 (38.26)	34.12-42.36	2412 (39.01)	35.47-42.66	2194 (36.15)	31.91-40.62	3369 (41.92)	38.22-45.71	3860 (48.90)	44.63-53.22	5058 (57.36)	53.38-61.24
Primary payer														
Medicaid/Medicare	2621 (51.03)	45.29-56.74	2770 (57.05)	52.51-61.48	3364 (54.41)	47.33-61.33	3874 (63.83)	57.88-69.39	4902 (61.00)	57.33-64.54	4169 (52.81)	46.09-59.44	4575 (51.88)	47.33-56.39
Private insurance	1551 (28.25)	22.86-34.34	1108 (22.82)	18.61-27.66	1362 (22.03)	18.85-25.59	1003 (16.53)	13.37-20.26	1546 (19.24)	15.85-23.16	1506 (19.08)	15.99-22.62	2256 (25.58)	18.87-33.69
Other	1065 (20.72)	16.41-25.82	977 (20.12)	16.44-24.40	1456 (23.55)	17.16-31.42	1192 (19.64)	15.34-24.78	1588 (19.76)	16.08-24.04	2218 (28.10)	20.32-37.46	1988 (22.54)	16.03-30.72

© 2019 American Medical Association. All rights reserved.

Downloaded From: https://jamanetwork.com/ University of Texas - Rio Grande Valley by Stanley Fisch on 11/09/2019

Figure. Emergency Department Admissions for Child Sexual Abuse in the United States, 2010 to 2016



The bars indicate the number of emergency department (ED) admissions for child sexual abuse. The line indicates the rate of ED admissions for sexual abuse per 100 000 children.

indicate an increase from 6.93 to 11.97 admissions per 100 000 children younger than 18 years (**Figure**). The increased rate of sexual abuse cases may be associated with the increase in the number of adolescents who were admitted to the ED during this period, from 2280 of 5138 patients (44.37%) in 2010 to 5058 of 8818 patients (57.36%) in 2016. These data indicate an increase from 8.02 to 20.20 ED admissions for sexual abuse per 100 000 adolescents in the United States.

Discussion | Between January 1, 2010, and December 31, 2016, the number of adolescents admitted to EDs across the United States for confirmed sexual abuse more than doubled. Our data did not allow us to identify factors that may have been associated with this increase. Several leading possibilities include the increased number of girls who were subjected to sex trafficking[5] and the greater awareness and sensitivity of medical professionals regarding sexual assault. The increased rates of sexual abuse cases observed in this study are coupled with an ongoing concern about the quality of care and the treatment of sexually abused children who are admitted to EDs, which may not consistently adhere to the recommendations for care endorsed by the American Academy of Pediatrics and the Centers for Disease Control and Prevention.[6]

One limitation of this study was that the data did not provide information regarding the situational nature of sexual abuse; thus, we could not identify a clear association between ED admissions for sexual abuse and multiple risk factors. Despite this and other limitations, the study provides a unique epidemiologic surveillance contribution regarding the patterns and characteristics of child sexual abuse in the United States.

Jesse J. Helton, PhD
Jason T. Carbone, PhD
Michael G. Vaughn, PhD
Theodore P. Cross, PhD

Author Affiliations: School of Social Work, College of Public Health and Social Justice, St Louis University, St Louis, Missouri (Helton, Vaughn); School of Social Work, Wayne State University, Detroit, Michigan (Carbone); School of Social Work and Children and Family Research Center, University of Illinois, Urbana (Cross).

Accepted for Publication: June 6, 2019.

Corresponding Author: Jesse J. Helton, PhD, School of Social Work, College of Public Health and Social Justice, St Louis University, 3550 Lindell Blvd, Tegeler Hall 303, St Louis, MO 63103 (jesse.helton@slu.edu).

Published Online: November 4, 2019. doi:10.1001/jamapediatrics.2019.3988

Author Contributions: Mr Carbone had full access to all of the data in the study and takes responsibility for the integrity of the data and the accuracy of the data analysis.
Concept and design: Helton, Carbone.
Acquisition, analysis, or interpretation of data: Carbone, Vaughn, Cross.
Drafting of the manuscript: All authors.
Critical revision of the manuscript for important intellectual content: Carbone, Cross.
Statistical analysis: Carbone.
Administrative, technical, or material support: Carbone.
Supervision: Helton, Vaughn.

Conflict of Interest Disclosures: None reported.

1. Crawford-Jakubiak JE, Alderman EM, Leventhal JM; COMMITTEE ON CHILD ABUSE AND NEGLECT; COMMITTEE ON ADOLESCENCE. Care of the adolescent after an acute sexual assault. *Pediatrics*. 2017;139(3):e20164243. doi:10.1542/peds.2016-4243

2. Goyal MK, Mollen CJ, Hayes KL, et al. Enhancing the emergency department approach to pediatric sexual assault care: implementation of a pediatric sexual assault response team program. *Pediatr Emerg Care*. 2013;29(9):969-973. doi:10.1097/PEC.0b013e3182a21a0d

3. Greenbaum J, Crawford-Jakubiak JE; Committee on Child Abuse and Neglect. Child sex trafficking and commercial sexual exploitation: health care needs of victims. *Pediatrics*. 2015;135(3):566-574. doi:10.1542/peds.2014-4138

4. Agency for Healthcare Research and Quality. HCUP overview of the Nationwide Emergency Department Sample (NEDS) Healthcare Cost and Utilization Project (HCUP). http://www.hcup-us.ahrq.gov/nedsoverview.jsp. Published September 2019. Accessed April 20, 2019.

5. United Nations Office on Drugs and Crime. *Global Report on Trafficking in Persons 2018*. https://www.unodc.org/documents/data-and-analysis/glotip/2018/GLOTiP_2018_BOOK_web_small.pdf. Published December 2018. Accessed May 5, 2019.

6. Schilling S, Samuels-Kalow M, Gerber JS, Scribano PV, French B, Wood JN. Testing and treatment after adolescent sexual assault in pediatric emergency departments. *Pediatrics*. 2015;136(6):e1495-e1503. doi:10.1542/peds.2015-2093

© 2019 American Medical Association. All rights reserved.

Downloaded From: https://jamanetwork.com/ University of Texas - Rio Grande Valley by Stanley Fisch on 11/09/2019